



NOTES

1. PROVIDE X4880, MOBILE FLUOROSCOPIC C-ARM, IN VICINITY OF ROOM FOR NAVY PROJECTS ONLY.

KEY NOTES

1. PROVIDE A1165, IV TRACKS, FOR NAVY PROJECTS ONLY.
2. COORDINATE LOCATIONS OF ELECTRICAL AND DATA OUTLETS WITH M1802, WALL MOUNTED, FOLD DOWN COMPUTER.
3. MOUNT A5145, HOOK, AT 1372 [4'-6"] AFF. PROVIDE 2-A5145'S FOR NAVY PROJECTS ONLY. MOUNT 1-A5145 AT 1372 [4'-6"] AFF AND 1-A5145 AT 1524 [5'-0"] AFF.
4. COORDINATE LOCATION OF M1620, PATIENT CHART HOLDER, AND ROOM SIGNAGE.
5. LENGTH OF E1500, WALL MOUNTED RAIL, TO BE DETERMINED BY MANUFACTURER/INSTALLER.
6. MOUNT A5145, HOOK, AT 1219 [4'-0"] AFF.
7. UTILITIES AND DEVICES INDICATED ARE FOR A CLINIC OR HOSPITAL WITH AN ALTERNATE POWER SOURCE.

TREATMENT ROOM, ENDOSCOPY EXAM (UGI) (TREE1)

SPECIALTY MEDICAL CLINICS

FLOOR/EQUIPMENT PLAN

26.01 NSM (280 NSF)

DATE: 01/28/2002

0 1000 2000



1:50 SCALE (MILLIMETERS)